



FOLEY SECUREMENT DEVICES

Grip-Lok® is a portfolio of versatile adhesive-based devices that promotes patient comfort and secures a variety of tubes, lines, and catheters.



Product Details

- Secures a wide variety of two-way and three-way Foley sizes (see chart)
- Secures both latex and silicone foleys
- Not made with natural rubber latex

SKU Number	Description	Quantity	Compatible Foley Size Range
3400LFC	Large Foley Catheter Securement	100/Bx	8-30 FR
3600PFC	Small Foley Catheter Securement	100/Bx	8-30 FR

Performance

Average Minimum Dislodgement Force ¹	Average Minimum Resistance to Peel ²
8.9 lbf / 39.6 N	5.7 lbf / 25.4 N


Patient Comfort

- Developed with medical grade, hypoallergenic adhesive
- Flexible materials and a low profile

Ease-of-Use

- Similar application methods used throughout portfolio
- Hook-and-loop tab allows for repositioning and access to catheter after securement
- Large and glove-friendly peel-away liners


Hypoallergenic skin
contact adhesives



Large peel-away
liners for
easy application

Split hook-and-loop technology
secures without plastic locking
mechanisms

Breathable, nonwoven bandage
material resists moisture³



For more information, contact your sales representative or visit <http://tidiproducts.com/grip-lok/>
For U.S. and foreign patent information, visit go.tidiproducts.com/patents

References

1. Dislodgement Force is defined as the amount of force from either an axial or side load force to remove the patient device from the securement device. Data on file.
2. Resistance to Peel is defined by the amount of force in the perpendicular direction to remove the patient device from the securement device. Data on file.
3. Data on file.